

Technical Specification

Catalogue values for All in One PC

Category	Specification	Bid Requirement (Allowed Values)
Motherboard	Chipset Series	Intel H Series ,Intel Q Series, Intel Z Series Or higher
	Chipset Number	Intel Q 370, Intel Q470, Intel Q570, Intel Q670 Or higher
Processor	Processor Make	Intel
	Processor Generation	12.0 Or higher
	Number of Cores per Processor	8, 10, 12, 16, 14, 24, 22 Or higher
	Processor Description	Intel Core i7, Intel Core i9 Or higher
	Processor Number	Intel Core i7 12500, Intel Core i7 12600, Intel Core i7 12700, Intel Core i9 12900 Or higher
Graphics	Size of Memory in Case of Dedicated Graphic Card (GB)	0, 1, 2, 3, 4, 8 Or higher
Operating System	Operating System (Factory Pre-Loaded)	Windows 11 Professional
Memory	RAM Size (GB)	8, 16, 32, 64 Or higher
	RAM Expandability up to(using spare DIMM Slots in GB)	64 Or higher
Storage	Type of Drives used to populate the Internal Bays	SSD
	Total HDD Capacity (GB)	500, 1000, 1500, 2000, 2500, 3000, 0 Or higher

Category	Specification	Bid Requirement (Allowed Values)
	Total SSD Capacity (GB)	512, 768, 1024, 2048, 4096 Or higher
Display	Display Size (INCHES)	21.5, 23.6, 23.8, 27, 34, 37.5 Or higher
	Display Type	Non Touch, Touch Or higher
	Panel Technology	IPS, WVA Or higher
	Display Resolution (PIXELS)	1920x1080, 1920 x 1200, 3200x1800, 3840 x 2160, 3440 x 1440, 4096x2304, 5120x2880 Or higher
	Availability of Webcam integrated with Display	Yes
Warranty	On Site OEM Warranty (Year)	3, 5 Or higher

Catalogue values for Line Interactive UPS with AVR

Category	Specification	Bid Requirement (Allowed Values)
GENERIC	Rating (in KVA)	1.0, 1.5, 2.0, 3 Or higher
	Technology	MOSFET-PWM
	Inverter Efficiency (%)	60% or better, 70% or better Or higher
	Minimum Guaranteed Battery Backup time (Minutes) on Full Load	60, 90, 120, 180, 240 Or higher
	Warranty for Line Interactive UPS	1 Year, 2 Years, 3 Years, 4 Years, 5 Years Or higher
Battery/Backup Bank	Warranty for the battery from the date of delivery	1 Year, 2 Years Or higher
FEATURES	Rated Output (Volt) with Total Harmonic	Single Phase Quasi Sinewave 230 V AC 50 Hz with Total Harmonic Distortion as <=40%,

Category	Specification	Bid Requirement (Allowed Values)
	Distortion (%)	Single Phase Sinewave 230v AC 50Hz with Total Harmonic Distortion as <3% Or higher
	Variation in AVR output in AC mode (AVR Voltage regulation)	230 Volts +/-15%

Catalogue values for Line Interactive UPS with AVR

Category	Specification	Bid Requirement (Allowed Values)
GENERIC	Rating (in KVA)	0.6, 0.8, 1.0, 1.5, 2.0, 3 Or higher
	Technology	MOSFET-PWM
	Inverter Efficiency (%)	60% or better, 70% or better Or higher
	Minimum Guaranteed Battery Backup time (Minutes) on Full Load	60, 90, 120, 180, 240 Or higher
	Warranty for Line Interactive UPS	1 Year, 2 Years, 3 Years, 4 Years, 5 Years Or higher
Battery/Backup Bank	Warranty for the battery from the date of delivery	1 Year, 2 Years Or higher
FEATURES	Rated Output (Volt) with Total Harmonic Distortion (%)	Single Phase Quasi Sinewave 230 V AC 50 Hz with Total Harmonic Distortion as <=40%, Single Phase Sinewave 230v AC 50Hz with Total Harmonic Distortion as <3% Or higher
	Variation in AVR output in AC mode (AVR Voltage regulation)	230 Volts +/-15%

Multifunction Machines Mfm

Print Technology	Inkjet
Type of Machine	Multifunction Machine
Type of Printing	Colour
Cartridge Technology	Ink
Developer Unit	No
Platen/Flatbed Size	A4
Paper Size (Original/Image)	A4/A4
RAM size (MB)	0
Hard Disk Capacity(GB)	0
Minimum Speed per Minute as per ISO/IEC 24734 in A4 Size-Mono	10
Minimum Speed per Minute as per ISO/IEC 24734 in A4 Size-Colour	5
Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Mono	0
Minimum Speed per Minute as per	0

ISO/IEC 24734 in A3 Size-Colour	
Scanning Feature Availability	Yes
Duplexing Feature Availability	No
Faxing Feature Availability	No
Speed of Fax, If Fax Feature is available	NA
Networking Feature Availability	No
If yes, Type of Network Interface	NA
Wi-Fi Availability	No
If yes,Wi-Fi Type	NA
Original Document Feeder Type	Platen
Feeder Capacity (Number)	1
Number of Main Paper Tray	1
Each Main Paper Tray Capacity (Number)	100
Bypass Facility	No
If Yes, Bypass Tray Capacity	0
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Cyan colour (Number of prints)	7000

Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Yellow colour (Number of prints)	7000
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Magenta colour (Number of prints)	7000
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19752/2004(E) for Black (Number of prints)	4000
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Cyan (Number of Prints)	0
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Yellow (Number of Prints)	0
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Magenta (Number of Prints)	0
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Black (Number of Prints)	0
Duty Cycle (No of Prints/month)	3000

Minimum Operating Temperature (Degree C)	5
Maximum Operating Temperature (Degree C)	35
Minimum Operating Humidity (%RH)	20
Maximum Operating Humidity (%RH)	80
BIS Registration under CRS of Meity	Yes
BIS Registration Number	R-41000620
Other Certifications Available	RoHS
Dimension (mm x mm x mm)	375 x347 x179
Weight (Kg)	3.9
On Site OEM Warranty (Year)	2

Computer Cover

Model Name	DESKTOP COVER FULL SET
Designed For	Computer Desktop Cover
Maximum Display Size	20 inch
Material	PVC
Washable	Yes
Model Number	Monitor,Keyboard & CPU Cover
Color	Multicolor